

ADDENDUM No. 1
ITB 4282 1.9 Gallon Kitchen Composters
City of Ann Arbor
Due: Monday, April 22, 2013 at 10:00 a.m.

The following changes, additions, and/or deletions shall be made to the Invitation to Bid for 1.9 Gallon Kitchen Composters for the City of Ann Arbor, Michigan, ITB 4282 on which bids will be received on or before 10:00 A.M. Monday, April 22, 2013.

The information contained herein shall take precedence over the original documents and all previous addenda, and is appended thereto. This Addendum includes 1 page.

Changes in the Invitation to Bid which are outlined below are referenced to a page or attachment in which they appear conspicuously. The Bidder is to take note in its review of the documents and include these changes as they affect work or details in other areas not specifically referenced here.

1. ADVERTISEMENT (pg 2); INSTRUCTIONS TO BIDDERS/BID SECURITY (pg 5)

The quantity of units which should be used to calculate total bid price and the bid bond amount is **2,000 units** (minimum amount of containers expected to be purchased as stated in the Detailed Specifications).

2. GENERAL CONDITIONS (pg. 7)

The Warranty provision is amended to read as follows (highlighted):

All containers delivered shall include a warranty for a minimum period of ten (10) years from the date of acceptance against any and all defects in material and workmanship. At anytime during the period, if a defect should occur in any item, it shall be replaced by the Contractor at no additional cost or obligation to the City, except where it is shown that the defect was caused by City **and/or end user**. The bidder expressly warrants all items to be new, free from defects in design, materials and workmanship, and to be fit and sufficient for their intended purpose. All warranties shall survive acceptance and payment by the City.

3. QUESTIONS AND CLARIFICATIONS

Q. The Bid Form asks for "Order quantity required" do you mean Minimum order quantity required?

A. Yes, it means minimum order quantity required.